AUTHOR INDEX

Abdel-Khalik S. M., 1175
Abegaz B. M., 919
Abraham T. W., 767
Abrams S. R., 23, 1251
Achenbach H., 907
Adam G., 163, 197, 1083
Adam K.-P., 611
Ade B. R., 719
Adzet T., 203
Agosin E., 675
Agrawal P. K., 879
Aik-Hwee E., 1501
Akita K., 1275
Alam M. S., 1197
Alemayehu G., 919
Alexander I. J., 77
Ali M., 1197
Ali N. A. A., 927
Allais D. P., 1329
Alpha T., 829
Anai T., 671
Anderson J. W., 1465
Andriantsiferana M., 323
Aoyama K., 461
Aqueveque P., 1149
Araujo M. S., 1017
Asakawa Y., 207, 575, 791, 821, 833, 977, 1129, 1347, 1373
Asano J., 815
Awang K., 1325
Awasthi S. B., 981
Azevedo R. A., 707
Azzaro M., 243

Baba T., 289
Babady-Bila, 1441
Babiano M. J., 681
Bai L., 625
Baldé A. M., 269
Bardón A., 845
Barrero A. F., 605
Barton D. L., 1251
Barua N. C., 557
Barz W., 457
Basabe P., 1155
Basu S., 685
Bates R., 759
Batista C. V. F., 969
Batista I. F. C., 1017
Batista O., 571
Baudouin G., 323
Baumann T. W., 169
Baumes R. L., 1497
Bayonove C. L., 1497
Becchi M., 887
Becker H., 611
Beecher C. W. W., 945, 1625
Bell M. V., 465
Benedetto R. di, 1377
Benešová M., 65
Ben-Hod G., 403
Benner J. P., 801
Bergenstråhle A., 155
Berghe D. A. Van den, 269
Bertoli A., 1579
Beyer P., 729
Bhakuni R. S., 863
Bhandari S. P. S., 879
Bharti N., 105
Bianchini J.-P., 243, 829
Bilia A. R., 1579
Biswas B., 1457
Biswas T. K., 1457
Bittner M., 1149
Bloor S. J., 801
Bodo B., 591
Bolck A., 503
Boneva I. M., 855
Bonfils J.-P., 1281
Boother P., 801
Bordoloi M., 557
Borgå P., 155
Borg-Karlson A.-K., 439, 1477
Boschenok J., 1265
Botta B., 537
Bottalico A., 1035
Boyd M. R., 1205
Brenac P., 415
Brennecke K., 707
Brillouet J.-M., 1497
Briskin D. P., 685
Brisson L. F., 699
Britton G., 1201
Broberg A., 151
Brouillard R., 301, 1583
Brown E. G., 1491
Bruno M., 335
Bruyne T. De, 269
Buchanan M. S., 791, 821, 1373
Budzianowski J., 775
Buonocore V., 385
Butland S. L., 1259

Cai L., 1381
Caldera S., 759
Calis I., 1557
Calligerou M., 89
Cambon A., 243, 829
Canete S., 1293
Cañigueral S., 203
Capasso R., 1035
Caporale C., 385
Cardellina J. H. II, 1205
Cardona G., 753
Cardona L., 845
Carmona E. C., 345
Caron G., 803
Carotenuto A., 531
Carreras C. R., 473
Caruso C., 385
Carvajal N., 373
Carver J. A., 1265
Castro M. A., 995
Castro V., 851
Catalán C. A. N., 845

Cerdon C., 423
Chakravarty A. K., 935
Chang Chin-Teng, 525
Charrouf Z., 989
Chassagne D., 1497
Chaudhuri S. K., 945, 1625
Chavant L., 1293
Chavasiri W., 903
Chávez J. P., 941
Chen Chieh-Fu, 549
Chen Chung-Hsiung, 1389
Chen Ih-Sheng, 525
Chen Ying-Chih, 1361
Chen Yue-Chih, 549
Chen Ze-Nai, 279
Chen Zhong-Liang, 657
Chen Zi-Li, 871
Cheng Dong-Liang, 225
Cheng L., 719
Cheng Yu-Shia, 255, 1361
Chérif M., 1523
Cherng I-Hwa, 263
Cherrah Y., 989
Chiang Hung-Cheh, 263
Chiappeta A. de Andrade, 537
Chiba K., 815
Chiba S., 1013
Chiou G. C. Y., 545
Chiu Pao-Hui, 1215
Chopra N., 1197
Chou Cheng-Jen, 549
Chuah Cheng-Hock, 313
Chulia A. J., 1329
Chung Mei-Ing, 309
Ciancaglini P., 71
Cicala C., 531
Claeys M., 269
Clemens S., 457
Cole M. D., 735
Collado I. G., 513
Comte G., 1329
Conserva L. M., 647
Cordell G. A., 1385
Corral J. M. Miguel Del, 995
Crouzet J., 1497
Cruz F. G., 941
Cuerva J. M., 605
Cullmann F., 611
Curir P., 447
Cutignano A., 1035
Cutler A. J., 23

Dagne E., 795
Dangles O., 301, 1583
Danieli B., 447
Daniewski W. M., 1093
Das B., 985
Das R., 985
David J. M., 941
Davies-Coleman M. T., 1085
Davies R., 863
Davis E. M., 1047
Davis G. D., 1047
Delage C., 1329
Dellar J. E., 735
Dembitsky V. M., 483
Demyttenaere J. C. R., 1079
Dhar K. L., 595, 947, 1097
Diez D., 1155
Ding Hsiou-Yu, 237
Dong-Zhe Jin, 545
Dorado M. M., 605
Drewes S. E., 333
Duarte A., 571
Duh Chang-Yih, 525
Ďurčová G., 65
Dutra-Behrens M., 339
Dyas L., 1275

Ebata N., 895
Ebizuka Y.. 725
Eceizabarrena C. C., 1393
Echeverri F., 753
Elema E. T., 503
El-Gindi M. R., 1175
El-Gindi O. D., 1175
Elhabiri M., 301
Ellis B. E., 1259
Ellis S., 31
Eng J. A., 353
Englert G., 729
Enríquez S., 373
Eriş C., 1143
Escribano-Bailón T., 1583
Espinar L. A., 499
Essenberg M., 1047
Esteban M. D., 1573
Esumi Y., 1485
Evidente A., 1035
Ewan B., 23
Ezer N., 203

Falkenberg M., 297
Fang Jim-Min, 255, 1361
Fang Song-Chwan, 1215
Farine J.-P., 433
Fattorusso E., 531
Faure R., 243, 829
Feliciano A. San, 995
Feo V. De, 531
Fernandes J. B., 1159
Ferreira D., 1209
Ferreira J. F. S., 97
Figueiredo P., 301
Filho H. F. Leitão, 963
Fiorentino A., 1527
Fondekar K. P. Pai, 931
Foo L. Y., 617
Fournier D., 1293
Fraga B. M., 229
Frahm A. W., 1107
Frei B., 1191
Fritz H., 1017
Fronczek F. R., 779
Fu S., 1265
Fuente G. de la, 1235
Fuente J.R. de la, 499
Fujimoto Y., 923, 1057
Fukuda N., 1275
Fukunaga Y., 1531
Fukushi E., 1531
Fukuyama Y., 629, 1219
Fullas F., 945, 1625
Funayama S., 1231
Furlan M., 1159
Furriel R. P. M., 71
Furukawa H., 1433
Furukawa-Stoffer T. L., 353
Fuzzati N., 1287

Gaisser S., 1065
Galanopoulou D., 89
Galindo J. C. G., 1573
Gallardo-Guerrero L., 691
Gambardela M. T. P., 217

Gangwani L., 49
García B., 1113
Garcia-Garcia F., 753
García-Lliso V., 837
Garg H. S., 879
Garrido N. M., 1155
Garzillo A. M. V., 385
Gavín J. A., 1235
Gazaryan I. G., 1029
Gedara S. R., 1569
Gedris T. E., 335, 1441
Geiger H., 1621
Ghisalberti E. L., 7, 859
Ghosh A. C., 557
Gibbons S., 565
Giordano O. S., 473
Gleixner G., 1073
Goad L. J., 1275
Gómez-Serranillos P., 247
González M. D., 1393
Gooday G. W., 77
Gordaliza M., 995
Goswami P., 279
Goto C., 1309
Gotoh K., 193
Gray A. I., 565
Greca M. D., 1527
Greulich F., 93
Grillo T. A., 753
Gross E. M., 133
Guerreiro E., 473
Guilhon G. M. P., 647
Guillaume D., 989
Gumułka M., 1093
Guo Bao-Lin, 991
Guo J.-R., 745
Gurunath S., 1105
Gussev C. V., 553
Gustafson K. R., 1205
Gusta L. V., 23

Haaf F., 729
Habermehl G., 339
Hagège D., 1523
Haggag M. Y., 1175
Hai T., 197, 1083
Haïdour A., 605
Halim A. F., 1569
Han Gui-Qiu, 287
Han S. W., 345
Hanson J. R., 513
Hanuman J. B., 863
Hao D.-Y., 477
Haribal M., 139
Harrison C. C., 37
Hart H. 't, 503, 1319
Hartmann R., 225
Hasegawa K., 671
Hase T., 317
Hashimoto T., 791, 821, 1373
Hashimoto Y., 1301
Hatakeyama Y., 1225
Hatanaka A., 177
Havir E. A., 699
Hayashi K., 895
Hayashi T., 193
He K., 1123
Heide L., 1065
Heinrich M., 1191
Henriques A. T., 969
Hernández-Galán R., 513
Herz W., 335, 1441
Heuvel H. Van den, 269
Hilal S. H., 1175
Hiller K., 1399
Hiraga Y., 745
Hirano H., 1459
Hirata E., 1351
Hirata T., 1275
Hodge A., 77
Hoffmann J. J., 519, 1123
Holzapfel C. W., 1547
Honda T., 635, 1599, 1607, 1613
Honda Y., 1517
Hongo A., 1613
Hoover D. G., 187
Horn M. H., 333
Horper W., 451
Hoshino T., 1309
Hosny M., 1557
Hosokawa K., 1531
Hostettmann K., 111, 1041, 1287
Hu Yun-Yu, 549
Huang M. N., 767
Huang Pao-Lin, 293
Huang Qiuli, 287
Hübner H., 907
Huneck S., 207, 1539
Hutter L. K., 519
Hyakutake H., 1485

Ichihara A., 93
Ida T., 1163
Iglesias R. G., 681
Iida S., 1607
Iinuma Munekazu, 545
Iiyama K., 1507
Ikeya Y., 233
Imperato F., 337
Inaoka H., 1517
Inoue K., 289, 725
Irwin D., 801
Ishibashi K., 183
Ishihara A., 1473
Ishii H., 1301
Ishimaru K., 183
Ito C., 1433
Itoh A., 651
Iwagawa T., 117, 739
Iwasa K., 1511
Izumi S., 1275

Jacobsson U., 1093
Jain L., 661
Jakupovic J., 339, 837, 851, 1149, 1539, 1543
Janick J., 97
Jansen R., 927
Jeske F., 1539
Johnson J., 863
Joncheray L., 829
Jonsson L. M. V., 155
Jorge A., 1155
Jorge J. A., 71
Jossang A., 591
Juch M., 589
Jüttner F., 1445

Kachroo P. K., 947, 1437
Kajiwara T., 177
Kaji Y., 177
Kalla A. K., 947, 1437
Kamigauchi M., 1511
Kamisako W., 1163
Kan Y., 575
Kanmoto T., 1405

Karibe H., 1459
Kasahara K., 193, 1607
Kasai R., 317, 1169
Katayama S., 1275
Kato L., 963
Kato T., 1191
Katoh K., 581, 1301
Kawabata J., 1531
Kawagishi H., 1013
Kawahara S., 1501
Kawamoto H., 1427
Keller A. C., 1041
Kenne L., 151
Kennelly E. J., 1381
Khalil A. T., 1569
Khotimchenko S. V., 1535
Khurana J. P., 49
Kikuchi M., 1333
Kikuchi T., 283
Kikuta Y., 93
Kim Chang-Jin, 213
Kim Hwan-Mook, 213
Kim J. H., 1319
Kim N.-C., 1381
Kim S. H., 767
Kimura A., 1013
Kimura Y., 665
Kindel P. K., 719
King R. M., 1543
Kinghorn A. D., 945, 1381, 1625
Kirtany J. K., 931
Kishi M. P., 753
Kita S., 1163
Kitto S. L., 187
Klaebe A., 1293
Kleinig H., 729
Ko Feng-Nien, 525
Kobayashi S., 725
Kocsis M. G., 353
Kodama M., 629, 1219
Koda Y., 93
Kohzuma T., 349
Kojima A., 665
Kokpol U., 903
Kolbe A., 163
Komatsu S., 1459
Kong Ling-Yi, 1423
König G. M., 643
Konno H., 703
Kono Y., 1485
Kosemura S., 671
Koshino H., 213
Kotoky J., 279
Koul J. L., 1097
Koul S. K., 595, 947, 1097
Koyama H., 1347
Krebs H. C., 561
Krupadanam G. L. D., 1223
Kubo H., 1169
Kumar A., 713
Kuo Li-Ming Yang, 549
Kuo Shih-Hsien, 309
Kuo Yao-Haur, 549
Kurata K., 749
Kuroda M., 1225
Kurosaki F., 1023
Kushiro T., 1057
Kutejová E., 65
Kuwahara Y., 1473
Kuwajima H., 289
Kužela S., 65

Lagrimini L. M., 1029
Lahloub M. F., 1557, 1569
Lam T. B. T., 1507
Lamb N., 23
Lanzotti V., 531
Lavaud C., 887
Lavi E., 403
Lazari D., 1113
Lea P. J., 707
Lechtenberg M., 779
Lee In-Kyoung, 213
Lee Kuo-Hsiung, 549
Leete E., 767
Legal L., 433
Lei B., 1251
Lei Zhen-Huan, 1187
Lemmich J., 1337
Leone F. A., 71
Lewis N. G., 31
Li Chong, 975
Li Wen-Kui, 991
Li Xian, 1423
Li Yi, 1423
Li Yun Long, 1593
Liberra K., 927
Lima M. A. S., 217
Lim Pek-Boon, 313
Lin Chun-Nan, 293, 309, 1215
Lin Hang-Ching, 237
Lin Long-Ze, 1385
Lin Shu-Jen, 1439
Linden A., 589
Lindequist U., 927
Lipson D. A., 29
Lithgow A. M., 1155
Liu Gui, 1563
Liu Yu-Qing, 1419
Lopes M. N., 1159
Lorey S., 1633
Lourdes M., 71
Lu Chai-Ming, 293
Lu Yang, 279
Lugli J., 707
Luijendijk T. J. C., 1451
Luis J. G., 753
Luo Si-Qi, 1385
Lützow M., 729

Ma Wei Guang, 1287
Ma W. G., 111
Ma Yu-Liang, 287
Maatooq G. T., 519
Machida K., 1333
Macías F. A., 1573
Madinaveitia A., 1235
Magno S., 531
Mahato S. B., 1181
Maheshwari S. C., 49
Maia J. G. S., 647
Maidou E., 591
Maillard M. P., 1041
Makino M., 923
Malakov P. Y., 855
Malan E., 1209
Mamer O., 803
Manickam M., 981
Manns D., 297
Mar R. I., 1265
Marais W., 1547
Marchesini A., 349, 447
Marco J. A., 837
Marcos I. S., 1155
Marek A., 297
Mariani F., 447

Maritano S., 349
Marner F.-J., 451
Marques M. F. S., 963
Marques M. S. L., 217
Martin M.-T., 1325
Maruno M., 233, 895
Maruyama K., 1309
Masima H., 703
Massiot G., 887
Masuda M., 1101
Matsui K., 177
Matsunaga S., 1163
Matsuo Y., 1101
Matsuzaki T., 787
Mavri-Vavayanni M., 89
Mayama S., 1473
Mayer A. M., 403
Mbark A. N., 989
McDougall G. J., 43
McKegney G. R., 1259
McNabb W. C., 617
Melek F. R., 1175
Mello J. F. de, 537
Mello J. P. de, 807
Menichini F., 1377
Meragelman K. M., 499
Mercadante A. Z., 1201
Meriçli A. H., 957
Meriçli F., 957
Mesguiche V., 1367
Meyer H., 133
Midiwo J. O., 951
Mier N., 1293
Miles C. O., 327
Miller I. J., 1315
Mimaki Y., 1225, 1405
Min Zhi-Da, 1423
Minami H., 629, 1219
Minguez-Mosquera Ma. I., 691
Misra G., 887
Mistuhashi H., 233
Miyagawa H., 1473
Miyase T., 1175, 1411
Mizutani M., 1347
Moghaddam F. M., 589
Momosaki S., 207
Monache F. Delle, 1377
Monache G. D., 537
Monson R. K., 29
Montenegro G., 1123
Morante M. D., 837
Morath P., 169
Morelli I., 1579
Moreteau B., 433
Morgenstern T., 1149, 1543
Morisaki M., 1057
Morris K., 377
Morrison I. M., 43
Mueller M., 795
Mukhopadhyay S., 935
Munday-Finch S. C., 327
Murakami K., 1427
Murata K., 1231
Murata T., 1013

Nabeta K., 581
Nagakura N., 651, 1341
Nagasampagi B. A., 1105
Nagashima F., 207, 1129
Nahrstedt A., 779, 807
Naito T., 233
Nakagawa Y., 1309
Nakaishi E., 833
Nakajima K., 895
Nakamura I., 575
Nakatani M., 117, 739
Nakatsubo F., 1427
Nakayama N., 739
Nascimento J., 571
Nass R., 489
Natori S., 931
Navarro F. I., 1113
Nazzaro R., 337
Nedea M. E., 803
Neto A. J. Souza, 707
Newman R., 617
Nie R.-L., 1169
Nigam S. K., 887
Nilsson L. A., 1477
Nimtz M., 1399
Nishino A., 1405
Nishino H., 1405
Nishiyama N., 1501
Nishiyauchi M., 461
Niwa M., 1197
Nodet P., 1523
Nohara T., 1187
Norin T., 439, 1093
Nowak A., 1451
Nozoe S., 1231
Nugroho B. W., 129
Numata M., 1309
Nun N. B., 403

Ohkubo S., 581
Ohta S., 745
Ohtani K., 317, 1169
Ohya I., 787
Ohya N., 1501
Okada K., 665
Okada M., 233, 895
Okamura H., 117, 739
Okubo A., 1219
Olave N., 373
Oliva M. L. V., 1017
Oliveira F. M., 647
Omobuwajo O. R., 1325
Oohata T., 581
Orchard S. G., 1465
Otsuji K., 1517
Otsuka H., 1351
Ouyang Ming-An, 871
Özden S., 1599

Païs M., 1325
Paknikar S. K., 931
Pakrashi S. C., 935
Pakulski G., 775
Palma M. S., 345
Pandey V. B., 661
Papanov G. Y., 855
Paternostro M. P., 335
Pawar S. S., 1105
Pedersen M., 151
Pedro J. R., 845, 1113
Peiffer G., 1367
Peng Jun-Peng, 283
Pérez F. J., 675
Perromat G., 1325
Persson M., 439
Petereit F., 807
Pfander H., 1201
Piacente S., 1357
Picheansoonthon C., 317
Pierce M. L., 1047

Pieters L., 269
Pilgrim H., 927
Pinto G., 1527
Pinto M., 675
Piovetti L., 1367
Pirani J. R., 1159
Pistelli L., 1579
Pizauro J. M., 71
Pizza C., 1357
Poddar G., 1181
Polizeli T. M., 71
Pollio A., 1527
Polya G. M., 55
Pomeroy M. K., 353
Pomilio A. B., 1393
Pond D., 465
Pooter H. L. De, 1079
Porzel A., 163, 197, 1633
Poveda L., 851
Prashant A., 1223
Previtera L., 1527
Prieto V., 513
Proksch P., 129
Promo M., 1457
Prost M., 1367
Pšenák M., 65
Pujar P. P., 1105

Qadri B., 947
Qin Guowei, 1553
Qiu Sheng-Xiang, 1385
Quere J.-L. Le, 433
Quiñones W., 753
Qurishi M. A., 595, 1437

Raab T. K., 29
Raharivelomanana P., 243, 829
Rahier A., 423
Ramiarantsoa H., 561
Rampendahl C., 1621
Rao C. Prakash, 1223
Rao K. V., 863
Rao S. P., 985
Rashid M. A., 1205
Ray A. B., 981
Razafimbelo J., 323
Razal R., 31
Razdan T. K., 947, 1437
Rebordinos L. G., 513
Rech S. B., 969
Redgwell R. J., 407
Reina M., 1235
Reis F. de A. M., 963
Reiter M., 907
Renwick J. A. A., 139
Riberio S., 571
Ricart G., 989
Richardson M., 1017
Rimpler H., 489
Ripperger H., 1629, 1633
Rivett D. E. A., 1085
Roberts M. F., 395
Rodriguez-Amaya D., 1201
Rodríguez B., 247, 247, 571
Rodriguez J., 473
Roeder E., 225
Rogers L. J., 377
Rojatkar S. R., 1105
Romero R. M., 395
Rose P. A., 23, 1251
Rossi A., 345
Rossomando P., 473
Roy R., 879
Rozentsvet O. A., 483
Rücker G., 297, 661
Rüedi P., 589, 1563

Saha S., 935
Sahu N. P., 883, 1181
Saito K., 145
Saito N., 301, 635, 1599, 1607, 1613
Sakurai A., 1485
Salas M., 373
Sampaio C. A. M., 1017
Sampaio M. U., 1017
Sankawa U., 725
Sant'ana A. E. G., 647
Santos I. D. Dos, 941
Santos R. H. A., 217
Sanz-Cervera J. F., 837
Sarkar S. K., 1181
Sashida Y., 1225, 1405
Sathe V. T., 1105
Sato A., 461
Sato T., 581
Satomi Y., 1405
Satou T., 1225
Sauriol F., 803
Sauter J. J., 365
Sauvaire Y., 415, 423, 1281
Sawaikar D. D., 1105
Say J. C., 71
Scanlon C., 85
Schenkel E., 297
Schilling G., 133
Schmeda-Hirschmann G., 339
Schmidt H.-L., 1073
Schmidt J., 1083
Schneider B., 163, 197, 1083
Schöpke T., 1399
Schripsema J., 969
Schulthess B. H., 169
Schwarz B., 129
Seeger T., 1621
Seuleiman M., 591
Sevenet T., 1325
Sexmero M. J., 1155
Shaari K., 867
Shah W. A., 595
Shan Tai-Bao, 1187
Shao Yu, 225, 1593
Sharma S. C., 599
Shaw A. C., 23, 1251
Shaw D. C., 1265
Sheen Wine-Show, 525
Sheil M. M., 1265
Shen Ya-Ching, 1389
Shibano N., 289
Shieh Bor-Jinn, 1215
Shigihara A., 635, 1607, 1613
Shimada A., 665
Shimomura K., 183, 725
Shingu T., 289
Shinozaki Y., 787
Shiokawa K.-I., 1411
Shirane N., 1301
Siafaka-Kapadai A., 89
Siems K., 851, 1119
Silva H.J., 473
Silva M., 1149
Silveira E. R., 217
Simões M. F., 571
Simone F. De, 1357
Simonet A. M., 1573
Simpson J., 903

Sindambiwe J. B., 269
Singh R. P., 105
Singh S., 31
Sinha-Bagchi A., 981
Sinha S. C., 981
Sinha S. K., 105
Sjödin K., 439
Skaltsa H., 1113
Smith P. J., 23
Soby S., 759
Song Kyung-Sik, 213
Sosa V. E., 499
Sotoma G., 665
Srinivas K. V. N. S., 985
Steck A., 1201
Steglich W., 795
Stevens J. F., 503, 1319
Stewart D., 43
Steynberg P., 1209
Sticher O., 643, 1191
Stone B. A., 1507
Stumpf D. K., 519
Styer E. H., 187
Su Wen-Chiung, 255
Suga T., 745
Sugimura Y., 1517
Sumatra M., 923
Suzuki M., 749, 1101
Suzuki S., 349
Suzuki T., 1309
Suzuki Y., 1485
Swinny E., 1209
Syah Y. M., 859

Tada M., 815
Takagi S., 625
Takahashi E., 629
Takahashi H., 787
Takahashi K., 93
Takahashi Y., 1101
Takaishi K., 289
Takaoka S., 575, 1129
Takechi M., 121, 125
Takeda Y., 1351
Takei A., 1517
Takenaka H., 1301
Takenaka Y., 1341
Takeuchi Y., 461
Takushi A., 1351
Tan R. X., 111
Tanahashi T., 651, 1341
Tanaka H., 1129
Tanaka O., 1169
Tanaka R., 1163
Tanaka Toshiyuki, 545
Tanaka Y., 121, 125, 1501
Taneja S. C., 947, 1097
Tangpakdee J., 1501
Taniguchi K., 749, 1275
Tani K., 665
Taton M., 423
Tatsuzawa F., 635, 1607, 1613
Teng Che-Ming, 525
Terenzi H. F., 71
Terrero D., 229
Tezuka Y., 283
Thakur N. K., 599
Theilmann D., 1259
Thomas H., 377
Tillequin F., 323
Timmermann B. N., 519, 1123
Tip-pyang S., 903
Titlyanova T. V., 1535
Tobita T., 787
Todorova M. N., 553
Toki K., 301, 1599
Tommasi N. De, 1357
Topcu G., 1143
Tori M., 977
Torre M. C. de la, 247, 571
Torres F., 753
Toshima H., 93
Towers G. H. N., 31
Toyota M., 207, 575, 833, 1347
Tramontano W. A., 85
Trendafilova A. B., 553
Tripathi M., 661
Truszewska D., 1093
Tsai Ian-Lih, 525
Tsankova E. T., 553
Tschan G. M., 643
Tsuji J., 1047
Tucker J. C., 945, 1625
Turan Y., 1491

Uchiyama T., 1309
Ueda K., 1301
Ueno A., 1411
Ueno T., 1473
Ulubelen A., 957, 1143
Ulyatt M. J., 617
Unelius C. R., 1477
Uno C., 121, 125
Uramoto M., 213
Uribe E., 373
Uriburu M. L., 499
Urones J. G., 1155
Usui S., 923
Usui T., 1013

Vallès-Xirau J., 837
Valls R., 1367
Valterová I., 1477
VanEtten H., 759
Vecchiola A., 675
Veerachato G., 903
Venkaiah B., 713
Vercauteren J., 1329
Verpoorte R., 969, 1451
Vila R., 203
Vinciguerra V., 537
Vlietinck A. J., 269
Vurro M., 1035

Waghorn G., 617
Wahab N., 23
Waight E. S., 1437
Walker-Simmons M. K., 1251
Wall M. E., 945, 1625
Wang Beng-Wern, 1361
Wang Bing Hui, 55
Wang Han-Qing, 871
Wang Meei-Ling, 1433
Wani M. C., 945, 1625
Wasa T., 1013
Watanabe Y., 207
Waterman P. G., 565, 735, 867, 951
Weavers R. T., 903
Weigt F., 1119
Weilacher T., 1073
Weintraub S. T., 89
Wen Dong-Xu, 657
Wendel T., 1445
Weselake R. I., 353
Wessels P. L., 1547

Whitaker B. D., 187
Wieruszeki J. M., 989
Wijewardene C. S., 333
Wilkins A. L., 327
Win K. W., 1613
Wititsuwannakul R., 1501
Witt W., 365
Wolfender J.-L., 111
Wollenweber E., 1119
Wong Wah-Hun, 313
Wray V., 129, 1399
Wright A. D., 643
Wu Chia-Li, 1439
Wu De-Peng, 263
Wu Pei-Lin, 237, 1433
Wu Ru-Rong, 293, 1215
Wu Tian-Shung, 237, 1433
Wyk B.-E. Van, 795, 1547

Xiao Pei-Gen, 991
Xiong Jin-Zhe, 1187
Xu Rensheng, 1553
Xu Xiu-Zhi, 975
Xue Yun, 1287

Yagi T., 1057
Yahara S., 1187
Yamada K., 671
Yamagata Y., 625
Yamaki M., 625
Yamamura S., 671
Yamanaka M., 183
Yamasaki K., 317, 1169
Yamasaki Y., 703
Yang Chong-Ren, 871, 1287, 1419
Yang Genjin, 1553
Yang Shu-Wei, 1389
Yao M., 1351
Yao Xin-Sheng, 283
Yen Ming-Hong, 293, 309
Yenesew A., 951
Yeoman M. M., 477
Yilmaz F., 957
Yokoi M., 635, 1607, 1613
Yokoyama M., 977
Yoo Ick-Dong, 213
Yoshida H., 1057
Yoshida M., 977
Yoshii T., 815
Youssef D., 1107
Yu Jing-Guang, 991

Zamir L. O., 803
Zapp J., 611
Zaynizadeh B., 589
Zelitch I., 699
Zhang Cheng-Zhong, 975
Zhang D. M., 1411
Zhang L. X., 111
Zhao F., 903
Zhao K., 225
Zhao Ping, 1419
Zhao Weimin, 1553
Zhi-Da Min, 545
Zhou Bing Nan, 1593
Zhou J.-B., 739
Zhou Jian-Bo, 117
Zhou Z.-H., 803
Zhu Ting-Ru, 1423
Zinsmeister H. D., 1621
Zonno M. C., 1035

SUBJECT INDEX

A
Abies marocana, sesquilignans from 605
Abrus precatorius, sweet-tasting cycloartane glycoside from 1381
Abscisic acid
  analogues, structure-activity studies of 1251
  levels, during chick-pea germination, effect of polyethyleneglycol on 681
S-(+)-Abscisic acid, synthesis of deuterated analogue of 23
Acalypha, terpenoids from 851
Acetophenone glycoside, from *Exacum* 289
Acetophenones, from *Cynanchum* 293
δ-Acetylornithine, as nitrogen storage compound in *Bistorta* 29
Acid phosphatase I, from *Vigna* germinating seeds 1457
Aconitum orientale, diterpenoid alkaloids from 957
Actinidia deliciosa, cell wall polysaccharide synthesis in 407
Actinidiaceae 407
Acylglycerols, from *Lycogala* 791
Acylphloroglucinols, bioactive from *Eucalyptus* 7
Agavaceae 1517
Aglaia argentea, cytotoxic cycloartanes from 1325
Ailanthus altissima, anthranilate synthase from 395
Ajuga reptans, sterol biosynthesis in hairy roots of 1057
Alangiaceae 651, 1351
Alangium lamarckii, tetrahydroisoquinoline-monoterpene glucosides from 651
A. premnifolium, sesquiterpene glycosides from 1351
Albizia, formation of albizziine in, from uracil 1491
Aldehydes, lipoxygenase-mediated formation of in freshwater diatoms 1445
Algae 151, 465, 749, 1101, 1315, 1367, 1445, 1527, 1535
Algicidal hydrolysable polyphenols, from *Myriophyllum* 133
Alginate composition, of brown seaweeds 1315
Alkaloid glycosides, steroid, from *Solanum* 1633
Alkaloids,
  *seco-bis*benzylisoquinoline, from *Laurelia* 339
  carbazole, from *Murraya* leaves 1433
  diterpenoid,
    from *Aconitum* 957
    from *Delphinium* 1235
  from *Crinum* 323
  from *Esenbeckia* 647
  from *Sedum* 1319
  glucosidal, from *Millingtonia* 317
  homoerythrina, from *Lagarostrobos* 801
  indole,
    from *Aspidosperma* 963
    from *Rauwolfia* 969
  norsecurinine, from *Phyllanthus* 1441
  oxindole, from *Alstonia* 313
  purine, carbon isotope pattern of 1073
  pyrrolidine, from *Nierembergia* 1393
  quinoline, from *Orixa* 1231
  steroid, from *Solanum* 1629
  tropane, biosynthesis of in *Erythroxylum* and *Datura* 767
Alkene γ-lactones, from *Persea* 229
5-Alkylresorcinol, antifungal, from etiolated rice seedlings 1485
Alliaceae 283, 531
Allium chinense, furostanol glycosides from 283
A. ursinum, flavonoids from 531
Aloe plicatilis, naphthalene diglycoside from 1547
Aloeaceae 795, 1547
Alstonia macrophylla, oxindole alkaloids from 313
Amaranthaceae 671
Amaryllidaceae 323, 729
Ambroma augusta, oleanane triterpenoid and stigmasterol glycoside from 1197
Amino acid, non-protein, formation of from uracil in *Albizia* seedlings 1491
cAMP, in *Lemna*, inhibition of chloroplast protein phosphorylation by 49
α-Amylase, from poplar leaves 365
Anabaena hallensis, sterols and triterpenoids from 1083
Anthocerotae 1373
Anthocyanins,
  acylated,
    from *Consolida* blue-violet flowers 1599
    from *Matthiola* 1613
    from *Pharbitis* slate-grey flowers 1607
    production in regenerated *Hyacinthus* flowers 1531
  intramolecular copigmentation of, as a means for colour loss 301
Anthranilate synthase, from *Ailanthus* cell suspension cultures 395
Antibacterial hydroperoxysterols, from *Xanthosoma* 1191
Antifeedant
  benzoquinone, from *Dictyopteris* 749
  limonoids, from *Melia* 117, 739
Antifungal
  5-alkylresorcinol, from etiolated rice seedlings 1485
  aromatic acids, from *Gentiana* 111
  chromone, from *Eriosema* 1287
  eudesmanolides, from *Parthenium* 519
  3-hydroxyacetophenone, from carnations 447
Antimicrobial
  abietane diterpenoids, from *Plectranthus* 735
  isoflavanones, from *Desmodium* 537
  steroids, from *Fomitopsis* 1041
Antiplatelet aggregation constituents, from *Peucedanum* 525
Antrodia cinnamomea,
  steroids and triterpenoids from 1389
  triterpenoids from 263
Apium graveolens, solubilization of cell wall pectic polysaccharides from 719
Apocynaceae 313, 963, 969, 1451
Aquifoliaceae 657, 871, 1073
Araceae 1191
Aralia decaisneana, triterpene saponins from 1411
Araliaceae 1411, 1419
Araucariaceae 995
Arginase, from *Phaseolus* cotyledons 373
Arginine residues, in red beet plasma membrane Ca^{2+}-ATPase 685
Aroma precursors, glycosidic, from *Passiflora* 1497
Aromatic acids, antifungal, from *Gentiana* 111
Aromatic glucoside, from *Gentiana* 309
Aromatics, from liverworts 207
Artemisia annua, immunoquantitative analysis of artemisinin from 97
A. chamaemelifolia, tricyclic sesquiterpenes from 837
A. pallens, germacranolide from 1105

A. pontica, rotundane sesquiterpene lactones from 553
Artemisinic acid analogue, from *Tithonia* 557
Artemisinin, from *Artemisia*, immunoquantitative analysis of 97
Asclepiadaceae 139, 293, 1181, 1385
Asclepias curassavica, oviposition-stimulant flavonol glycosides from 139
Ascorbate oxidase, from *Cucurbita*, stability of 349
L-Ascorbic acid, biosynthesis of in *Lemna* 145
Asparagus filicinus, oligofurostanosides and oligospirostanosides from 599
Aspartate kinase, in maize mutants 707
Aspidosperma ramiflorum, indole alkaloids from 963
Aster batangensis, phenolic and triterpenoid glycosides from 1593
A. tataricus, pentapeptides from 225
Athyrium yokoscense, phytoecdysone from 745
Avena sativa, induction of stress compound in, by toxin from *Helminthosporium* 1473
Avicennia officinalis, revision of iridoid from 489
Avicenniaceae 489
Avocadofurans, from *Persea* 229

B

Baccharis linearis, diterpenoids from 1123
Bacteria 1083
Baeckea frutescens, cytotoxic phloroglucinols from 923
Bejaranoa, sesquiterpene lactones from 1543
Bellium bellidioides, triterpenoid saponins from 1399
Benzoic acid glycoside, from *Geniostoma* 1205
Benzoquinones,
  2-methoxy-6-*n*-alkyl-1,4-, biosynthesis of in *Primula* 451
  sesquiterpene-substituted, from *Dictyopteris* 749
Berberidaceae 991
Beta vulgaris,
  essential arginine residues in plasma membrane Ca^{2+}-ATPase in 685
  malondialdehyde in measurement of lipoperoxidation in 1523
Bianthraquinones, from *Senna* seeds 919
Biflavonoids, from *Plagiomnium* 1621
Bignoniaceae 317
Biological activity,
  of acylphloroglucinols from *Eucalyptus*, 7
  of coronatine and coronafacic acid 93
  of deuterated *S*-(+)-abscisic acid analogue 23
Biologically active
  acetophenone, from carnations 447
  5-alkylresorcinol, from rice seedlings 1485
  aromatic acids, from *Gentiana* 111
  benzoquinone, from *Dictyopteris* 749
  benzyldihydroflavonols, from *Cudrania* 213
  chromone, from *Eriosema* 1287
  coumarins, with antiplatelet aggregation activity, from *Peucedanum* 525
  cycloartane glycoside, sweet-tasting, from *Abrus* 1381
  cycloartanes, from *Aglaia* 1325
  cyclopeptide, from *Penicillium* 665
  diterpenoids,
    antimicrobial, from *Plectranthus* 735
    antispasmodic, from *Egletes* 217
  eudesmanoids, from *Parthenium* 519
  flavonoids,
    anti-inflammatory, from *Egletes* 217
    with antiplatelet aggregation activity, from *Allium* 531
  flavonol glycosides, oviposition-stimulant, from *Asclepias* 139
  fungal carpophore constituents, insecticidal 1293
  fusaric acid, methyl esters of, phytotoxic to *Striga*, from *Fusarium* 1035
  hydroperoxysterols, from *Xanthosoma* 1191
  hydroxyanthranilic acid, from oats 1473
  isoflavanones, from *Desmodium* 537
  limonoids, insect-antifeedant, from *Melia* 117, 739
  phenylbutanoids, insecticidal, from *Zingiber* 129
  9-phenylphenalenones, from *Musa* 753
  phloroglucinols, cytotoxic, from *Baeckea* 923
  polyphenols, hydrolysable, from *Myriophyllum* 133
  sesquiterpenoids, from *Botrytis* 573
  steroids, from *Fomitopsis* 1041
  taxane, from *Taxus* 803
  xanthones, from *Garcinia* 815
Biosynthesis,
  of alkaloids,
    purine, in relation to carbon isotope distribution 1073
    tropane, in *Erythroxylum* and *Datura* 767
  of 24β-alkyl-Δ^{25}-sterols, in *Ajuga* hairy roots 1057
  of L-ascorbic acid, from D-glucosone, in *Lemna* 145
  of caffeine, in *Coffea*, starting with formation of 7-methyl-XMP 169
  of ergosterol, in fungicide-resistant and -sensitive *Venturia* strains 1301
  of ferulic acid, in primary cell walls of wheat seedlings 1507
  of isoflavonoid methylenedioxy bridge formation, in *Cicer* 457
  of 2-methoxy-6-*n*-alkyl-1,4-benzoquinones, in *Primula* 451
  of microthecin, in *Gracilariopsis* 151
  of non-protein amino acid, from uracil in *Albizia* seedlings 1491
  of nornicotine, in tobacco cell cultures 477
  of oxalic acid, from D-glucosone, in *Lemna* 145
  of rubber, initiation of in *Hevea* 1501
  of sesquiterpenoid phytoalexins, in bacteria-inoculated cotton 1047
  of shikonin, in *Lithospermum* inhibition and regulation of 1065
  of sterols and glycoalkaloids, in potato 155
Biotransformation,
  of brassinosteroids,
    in *Lycopersicon* cell suspension cultures 197
    in *Ornithopus* cell suspension cultures 163
  of geraniol and nerol, by *Penicillium* spores 1079
  of nicotine to nornicotine, in tobacco cell cultures 477
  of progesterone, by *Chlorella* 1527
  of sodium grindelate, by *Cunninghamella* culture 473
  of tetrahydroberberine in *Corydalis* cultures 1511
Bistorta bistortoides, δ-acetylornithine as nitrogen storage compound in 29
Bixa orellana, carotenoid from 1201
Bixaceae 1201
Boraginaceae 1065
Botrytis cinerea, biologically active sesquiterpenoids from 513
Brassica napus, phosphatidate phosphatase from 353
Brassinosteroids, metabolism of,
  in *Ornithopus* cell cultures 163
  in tomato cultures 197
Broussoflavonol G, revised structure of 1215
Broussonetia papyrifera, prenylflavonoids from 1215
Bupleurum falcatum, saponins from 895
B. fruticosum, coumarins and saponin from 1579

C

(+)-δ-Cadinene synthase, from bacteria-inoculated cotton foliar tissue 1047
Caffeine biosynthesis, in *Coffea*, new hypothesis for 169
Calcium chloride, effect of on heavy metal stress in *Sesamum* seedlings 105
Campanulaceae 183
Caprifoliaceae 1333
Cardenolides, from *Erysimum* 1187
Cardiac glycosides, synthetic, structure-activity relationships of 125

Carotenoids,
conversion of, in *Narcissus* chromoplasts 729
from *Bixa* 1201
Caryophyllaceae 447, 989
Casearia tremula, clerodane diterpenes from 565
Cassia abbreviata, proguibourtinidins from 1209
Catalase isoforms, distribution of in tobacco 699
Catechin, coupling reactions between flavylium ions and 1583
Celastraceae 549
Celastrus hindsii, sesquiterpene ester from 549
Cell cycle inhibition, in legume root meristems, by sodium butyrate 85
Centaurea nicaensis, sesquiterpene lactones from 335
C. scoparia, circular dichroism of C-7, C-6 trans-fused guaianolides from 1107
Chamaecyparis obtusa, polysaccharides in primary cell walls of 461
Chamaemelum nobile, flavonoid glycoside from 643
Chemotaxonomic studies,
of acylglycerols, in *Lycogala* 791
of alginate compositions, in New Zealand brown seaweeds 1315
of alkaloids
homoerythrina, in *Lagarostrobos* 801
in Asian *Sedum* species 1319
of aromatics, in liverworts 207
of dihydroanthracenones, in *Gasteria* 795
of esssential oils, in *Sideritis* 203
of flavonoids, in *Sedum* and *Sempervivum* 503
of iridoids, in different *Physostegia virginiana* populations 489
of naphthalene glycosides, in *Aloe* 1547
of nitrile glucosides, leucine-derived, in Rosaceae 779
of phospholipids, in brown algae 1535
of polar lipids, in aquatic green macrophytes 483
of sesquiterpene lactones,
in *Bejaranoa* 1543
in *Inula* 1539
of sterols and triterpenoids, in *Anabaena* 1083
of sucrose esters from surface lipids, in *Petunia* 787
of terpenoids,
in liverworts 207
in *Viguiera tucumanensis* varieties 499
Chenopodiaceae 65, 685, 1523
Chitinolytic activities, of trees and associated fungi, inhibition of 77
Chlorella emersonii, progesterone biotransformation by 1527
Chlorophyllase, role of in olive chlorophyll metabolism 691
Chlorophyta 1527
Chlorophytum comosum, steroidal saponins from 1405
Chromones, from *Eriosema* 1287
Chrysophyta 1445
Cicer arietinum,
effect of polyethylene-glycol on abscisic acid levels in 681
methylenedioxy bridge formation in isoflavonoid phytoalexins of 457
Cinnamomum micranthum, steroids and triterpenoids of fungus parasitic on 1389
Cistaceae 1155
Clerodendron colebrookianum, sterol glycoside from 279
Cnidium silaifolium, monoterpene and coumarin glucosides from 1337
Coffea arabica, new hypothesis for caffeine biosynthesis in 169
Combretaceae 591
Combretum nigricans, pentacyclic triterpenes from 591
Compositae 97, 217, 225, 297, 335, 499, 519, 553, 557, 595, 643, 837, 845, 1105, 1107, 1113, 1123, 1275, 1357, 1377, 1399, 1437, 1539, 1543, 1593
Coniferae, distribution of lignanoids in 995
Consolida armeniaca, acylated delphinidin glycosides from 1599
Convolvulaceae 301, 1607
Coronafacic acid, jasmonic acid-like biological activities of 93
Coronatine, jasmonic acid-like biological activities of 93
Corydalis 13-hydroxylation of tetrahydroberberine in 1511
Costus speciosus, conversion of furostanol glycosides by β-glucosidase in 725
Coumarin glucosides, from *Cnidium* 1337
Coumarins,
from *Bupleurum* roots 1579
from *Esenbeckia* 647
from *Peucedanum* 1423
4-hydroxy-5-methyl-, from *Diospyros* 931
with antiplatelet aggregation activity, from *Peucedanum* 525
p-Coumaroyl glycerides, from *Juncus* 545
Crassulaceae 503, 1319
Crinum firmifolium, alkaloids from 323
Croton hovarum, clerodane diterpenes from 561
Cruciferae 23, 353, 1187, 1613
Cryptocarya latifolia, α-pyrone from 333
Cryptomeria japonica, diterpenoids from 255
Cucurbita pepo, stability of ascorbate oxidase from 349
Cucurbitaceae 349, 1169, 1265
Cucurbitane glycosides, from *Hemsleya* rhizomes 1169
Cudrania tricuspidata, cytotoxic *p*-hydroxybenzyldihydroflavonols from 213
Cunninghamella echinulata, hydroxylation of sodium grindelate by 473
Cupressaceae 243, 461, 995, 1329, 1361
Cyanidin glycosides, acylated, from × *Laeliocattleya* flowers 635
Cycloartane glycoside, sweet-tasting, from *Abrus* leaves 1381
Cyclohexanes, oxygenated, from *Piper* 1097
Cyclo-(L-tryptophyl-L-phenylalanyl), from *Penicillium* 665
Cyclozonarone, from *Dictyopteris* 749
Cynanchum taiwanianum acetophenones from 293
Cynomoriaceae 975
Cynomorium songaricum, fructosides from 975
Cystoseira amentacea, meroditerpenes from 1367
Cytochalasins, from *Daldinia* 821
Cytotoxic
cycloartanes, from *Aglaia* 1325
p-hydroxybenzyldihydroflavonols, from *Cudrania* 213
phloroglucinol, from *Baeckea* 923
xanthones, from *Garcinia* 815

D

Daldinia, cytochalasins from 821
Daphne mezereum, floral fragrance chemistry of 1477
Datura innoxia, tropane alkaloid biosynthesis in 767
D. tatula, withanolides from 981
Daucus carota,
6-hydroxymellein-*O*-methyltransferase from 1023
lipid composition of microsomes of 187
Delphinium cardiopetalum, diterpenoid alkaloids from 1235
Desmodium canum, antimicrobial isoflavanones from 537
Dianthus caryophyllus, antifungal 3-hydroxyacetophenone from 447
Dictyopteris undulata, sesquiterpene-substituted benzoquinone from 749
Dihydroanthracenones, from *Gasteria* 795
Dihydroflavonols, benzyl-, cytotoxic, from *Cudrania* 213
Dihydrophenanthropyran, from *Pleione* 625
Dionaea muscipula, ellagic acids and naphthoquinones from 775
Diospyros kaki, 4-hydroxy-5-methylcoumarins from 931
Diterpenoid
glycosides, from *Xanthium* 1357
production, by *Scoparia* cultured tissues 193
Diterpenoids,
abietane,

antimicrobial, from *Plectranthus* 735
rearranged,
from *Plectranthus* 571
from *Salvia* 1143
cedrene isoprenologue, from *Eremophila* 859
clerodane,
from *Casearia* bark 565
from *Croton* 561
from *Scutellaria* 855
neo-clerodane, from *Scutellaria* 247
from *Baccharis* 1123
from *Cryptomeria* leaves 255
from *Euphorbia* 1149
from *Guarea* 1159
from *Halimium* 1155
from *Juniperus* heartwood 1361
from *Leucas* 1569
ent-kaurane, from *Jungermannia* 1129
mero-, from *Cystoseira* 1367
phyllocladane, from *Plectranthus* 1563
sporia-γ-lactone, from *Heteroscyphus* cultures 581
Droseraceae 775

E
Ebenaceae 931
Ecdysteroid, from *Nierembergia* 1393
Egletes viscosa, biologically active flavonoids and terpenoids from 217
Eichhornia crassipes, intramolecular copigmentation of anthocyanins in 301
Ellagic acids, from *Dionaea* cultures 775
Emiliania huxleyi, lipid composition during growth of 465
Endopeptidase, activity of, in *Lolium* leaves 377
Enterolobium contortisiliquum, Kunitz-type trypsin inhibitor from 1017
Enzymes,
α amylase, from poplar leaves 365
anthranilate synthase, from *Ailanthus* 395
arginase, from *Phaseolus* coltyledons 373
ascorbate oxidase, from *Cucurbita*, stability of 349
aspartate kinase, from maize mutants 707
catalase, distribution of isoforms of, in *Nicotiana* 699
endopeptidases,
ATP-dependent, Ti-like, from spinach chloroplast 65
from *Lolium* leaves 377
fatty acyl-coenzyme A synthetase, from *Pinus*, substrate specificity of 1465
α-glucosidase, from millet seeds 703
6-hydroxymellein-*O*-methyltransferase, from elicitor-treated carrot cells 1023
pectin methylesterase, from *Orobanche* 403
peroxidase, anionic, from tobacco 1029
phenylalanine ammonia-lyase, from poplar 1259
phosphatase,
acid, from germinating *Vigna* seeds 1457
alkaline, from *Neurospora* conidia 71
phosphatidate, from *Brassica* 353
phosphorylase, multiple forms of, from *Sorghum* leaves 713
proteases, extracellular, from *Trametes* 385
protein kinase, calcium-dependent, from rice leaves 1459
strictosidine glucosidase, from *Tabernaemontana* cultures 1451
Epimedium brevicornum, flavonol from 991
Eremophila, cedrene isoprenologues from 859
Eriosema tuberosum, chromones from 1287
Erysimum cheiranthoides, cardenolides from 1187
Erythroxylaceae 767, 941
Erythroxylum coca, tropane alkaloid biosynthesis in 767
E. leal costae, flavonoids and triterpene esters from 941
Eschscholtzia californica, isoflavones from 661
Esenbeckia, alkaloids and coumarins from 647
Essential oil composition, in *Sideritis* 203
Eucalyptus, bioactive acylphloroglucinols from 7
E. pilularis, inhibition of chitinolytic activities in 77
Euphorbia chamaesyce, *seco*-triterpene-dienoic acid from 1163
E. portulacoides, diterpenes and phloracetophenones from 1149
Euphorbiaceae 561, 851, 985, 1149, 1163, 1441, 1501
Exacum affine, acetophenone glycoside from 289

F
Fagonia arabica, triterpenoid saponins from 1175
Fatty acid hydroperoxide lyase activity, developmental changes of, in *Marchantia* cell cultures 177
Fatty acyl-CoA synthetase, from *Pinus*, substrate specificity of 1465
Fenpropimorph, effect of on sterol composition in fenugreek 423
Flacourtiaceae 565, 867
Flavan-3-ols, from *Stryphnodendron* 807
Flavanonols, cytotoxic, from *Cudrania* 213
Flavone
O-diglycoside, from *Pteris* 337
glycoside, acylated,
from *Chamaemelum* 643
from *Leucas* 1569
C-glycoside, from *Gentiana* 309
Flavonoid variation, in *Sedum* and *Sempervivum* 503
Flavonoids,
biologically active, from *Egletes* 217
from *Allium* 531
from *Erythroxylum*, 941
prenyl-, from *Broussonetia* 1215
Flavonol glycosides,
acylated, from *Herniaria* 989
oviposition-stimulant, from *Asclepias* 139
Flavonol, from *Epimedium* 991
Flavylium ions, condensation of with catechin 1583
Fomitopsis pinicola, antimicrobial steroids from 1041
Fragaria × *ananassa*, platelet activating factor and lyso-phosphatidylcholines from 89
Fragrance, of *Daphne* flowers 1477
Fraxinus angustifolia, secoiridoid glucoside from 1557
Fructosides, from *Cynomorium* 975
Fumariaceae 1511
Fungi 71, 77, 263, 327, 345, 385, 447, 473, 513, 665, 675, 759, 791, 821, 927, 1013, 1035, 1041, 1079, 1093, 1293, 1301, 1389, 1473
Furanone glucoside derivatives, from *Juniperus* 1329
Furostanol glycosides, in *Costus*, conversion of to spirostanol glycoside 725
Fusaric acid derivatives, phytotoxic to *Striga*, from *Fusarium* 1035
Fusarium nygamai, phytotoxic methyl esters of fusaric acids from 1035

G
Garcinia hanburyi, xanthones from 815
G. subelliptica, xanthones from 629
Gasteria bicolor, dihydroanthracenones from 795
Geniostoma antherotrichum, benzoic acid glycoside from 1205
Gentiana, flavone *C*-glycoside and aromatic glucoside from 309
G. algida, secoiridoids and antifungal aromatic acids from 111
Gentianaceae 111, 289, 309
Gibberella fujikuroi, decomposition of gibberellic acid from 675
Gibberellic acid, decomposition of, in aqueous solutions 675
α-Glucosidase, from millet seeds 703
β-Glucosidase, in *Costus*, converting furostanol- to spirostanol glycosides 725
Glycoalkaloid synthesis, in relation to sterol synthesis, in potato 155

Gossypium hirsutum, (+)-δ-cadinene synthase from 1047
Gracilariopsis lemaneiformis, microthecin biosynthesis in 151
Gramineae 23, 37, 93, 377, 703, 707, 713, 1251, 1459, 1473, 1485, 1507
Grindelate, hydroxylation of, by *Cunninghamella* 473
Guarea trichilioides, diterpenes from 1159
Guttiferae 629, 815
Gymnema sylvestre, triterpenoid saponins from 1181

H
Halimium viscosum, diterpenic diol from 1155
Haloragaceae 133
Helminthosporium victoriae, toxin from, inducing oat phytoalexins 1473
Hemsleya panacis-scandens, cucurbitane glycosides from 1169
Hepaticae 177, 207, 575, 581, 611, 833, 1129, 1347, 1439
terpenoids and aromatics from 207
Herniaria fontanesii, acylated flavonol glycoside from 989
Heteroscyphus coalitus, terpenoids from 575
H. planus, spiro-γ-lactone diterpenes from 581
Heterothalamus alienus, peroxides from 297
Hevea brasiliensis, initiation of rubber biosynthesis in 1501
Hispolon, from *Inonotus* 927
Homalium longifolium, D:A-friedo-oleanane triterpenes from 867
Hyacinthus orientalis, anthocyanin production by regenerated flowers of 1531
Hydrocarbons, lipoxygenase-mediated formation of in freshwater diatoms 1445
Hydroperoxysterols, antibacterial, from *Xanthosoma* 1191
3-Hydroxyacetophenone, antifungal, from carnations 447
6-Hydroxymellein-*O*-methyltransferase, from elicitor-treated carrot cells 1023

I
Ilex kudincha, triterpenes and triterpenoid glycosides from 871
I. rotunda, dimeric sinapaldehyde glucoside from 657
Indole-diterpenoid, from *Penicillium* 327
Inonotus hispidus, yellow pigment from 927
Insecticidal
constituents, from *Zingiber* and *Kaempferia* 129
properties, of fungal carpophores 1293
Inula salsoloides, sesquiterpene lactones from 1539
Iridaceae 947, 1219, 1281
Iridals, localization of, in *Iris* rhizomes 1281
Iridoid distribution, in *Physostegia* populations 489
Iridoids,
from *Avicennia*, revision of 489
from *Scrophularia* 489
Iris germanica, localization of iridals in 1281
I. japonica, highly-oxygenated isoflavones from 1219
I. kashmiriana, isoflavones from 947
Isoflavanones, antimicrobial, from *Desmodium* 537
Isoflavans, prenylated, from *Millettia* 1223
Isoflavones,
from *Eschscholtzia* 661
from *Iris* 947, 1219
from *Millettia* seed pods 951
from *Petalostemon* bark 945, 1625
Isoflavonoid phytoalexins, biosynthesis of in *Cicer* 457

J
Jasminum polyanthum, dimeric secoiridoid glucosides from 1341
Jatropha gossypifolia, lignan from 985
Juncaceae 545
Juncus effusus, *p*-coumaroyl glycerides from 545
Jungermannia exsertifolia, *ent*-kaurane diterpenoids from 1129
Juniperus chinensis, di- and sesquiterpenes from 1361
J. phoenicea, furanone glucoside derivatives from 1329

K
Kaempferia rotunda, insecticidal constituents of 129
Khellactones, from *Peucedanum* 525
Koelpinia linearis,
long-chain alkanoic acid esters of lupeol from 1437
sterol from 595

L
Labiatae 203, 247, 489, 571, 589, 735, 855, 1057, 1085, 1143, 1309, 1563, 1569
Lactarius vellereus, monohydroxylactones from 1093
× *Laeliocattleya*, acylated cyanidin glycosides from 635
Lagarostrobos colensoi, homoerythrina alkaloids from 801
Lauraceae 229, 333
Laurelia sempervirens, *seco-bis*benzylisoquinoline alkaloid from 339
Laurencia pannosa, brominated C_{15} nonterpenoid from 1101
Lectins, *N*-acetyl-D-galactosamine-specific, from *Phaeolepiota* 1013
Legume root meristems, cell cycle inhibition in by sodium butyrate 85
Leguminosae 85, 93, 163, 373, 415, 423, 457, 537, 617, 681, 759, 807, 919, 945, 951, 1017, 1209, 1223, 1287, 1381, 1457, 1491, 1573, 1625
Lemna minor,
biosynthesis of L-ascorbic acid and oxalic acids from D-glucosone in 145
solubilization of cell wall pectic polysaccharides from 719
L. paucicostata, inhibition of chloroplast protein phosphorylation by cAMP in 49
Lemnaceae 49, 145, 719
Lepidimoides, structure-activity relationship of 671
Lepidozia vitrea, eudesmane sesquiterpenoids from 833
Leucas neufliseana, diterpenes and acylated flavone from 1569
Lignanoids, distribution of in Coniferae 995
Lignans,
from *Jatropha* stems 985
from *Magnolia* 287
macrocyclic, from *Pellia* 611
Lignin-like dehydrogenation products, cross-linking of synthetic proteins into 43
Ligusticum chuanxiong, phthalides from 233
Liliacea 599, 1225, 1405, 1531
Lilium martagon, pyrroline glucoside ester and steroidal saponins from 1225
Limonoids,
from *Xylocarpus* 903
insect-antifeedant, from *Melia* 117, 739
Lipid composition,
during growth of *Emiliania* 465
of microsomes from heat-stressed carrot cultures, 187
Lipids,
from *Matricaria* cultured shoot primordia 1275
polar, distribution of in aquatic green macrophytes 483
Lipoperoxidation, measurement of in habituated sugarbeet cells 1523
Lipoxygenase
activity, developmental changes in, in *Marchantia* cultured cells 177
reactions, formation of odorous diatom compounds by initiation of 1445
Lithospermum erythrorhizon, inhibition of shikonin biosynthesis in 1065
Lobelia cardinalis, polyacetylene glucosides from hairy root cultures of 183
Lobeliaceae 183
Loganiaceae 1205
Lolium temulentum, endopeptidase activity in 377
Lotus corniculatus, proanthocyanidins from 617

Lycogala epidendrum, acylglycerols from 791
Lycopersicum esculentum, brassinosteroid metabolism in cell cultures of 197
Lyso-phosphatidylcholines, from strawberry 89

M
Maesa lanceolata, triterpenoid saponins from 269
Magnolia biondii, neolignan and lignans from 287
Magnoliaceae 287
Majorenolide, structure revision of 229
Malondialdehyde, and lipoperoxidation in habituated sugarbeet 1523
Malvaceae 1047
Marchantia polymorpha, development changes in lipoxygenase activity in cultured cells of 177
Marsdenia tenacissima, polyoxypregnanes from 1385
Matricaria chamomilla, lipids from oil bodies in 1275
Matthiola incana, acylated pelargonidin glycosides from 1613
Medicago sativa, phytoalexin detoxification by fungal pathogens of 759
Megaceros flagellaris, phytyl esters and phaeophytins from 1373
Melia toosendan, limonoid antifeedants from 117, 739
Meliaceae 117, 739, 903, 1159, 1325
Melilotus messanensis, triterpenoids from 1573
Mentha arvensis × *spicata*, xyloglucan in extracellular polysaccharides from 1309
Meroditerpenes, from *Cystoseira* 1367
7-Methyl-xanthine monophosphate, role of in caffeine biosynthesis 169
Methylenedioxy bridge formation, in isoflavonoid phytoalexins in *Cicer* 457
O-Methyltransferases, of hydroxycinnamic acids in wheat 1507
Microthecin, biosynthesis of in *Gracilariopsis* 151
Mikania mendocina, sesquiterpene lactones from 845
Millettia dura, isoflavones from 951
M. racemosa, prenylated isoflavans from 1223
Millingtonia hortensis, glucosidal alkaloid from 317
Mimusops, triterpenoid saponins from 883, 887
Monimiaceae 339
Monohydroxylactones, from *Lactarius* 1093
Monoterpene
  glycosides,
    from *Cnidium* 1337
    from *Paeonia* 237
  hydrocarbons, in *Pinus* tissues, enantiomeric cornpositions of 439
Monoterpenoids,
  biotransformation of by *Penicillium* spores 1079
  from *Mussaenda* 1553
Moraceae 213, 1215
Morinda citrifolia, effects on *Drosophila* of volatiles from 433
Murraya euchrestifolia, carbazole alkaloids from 1433
Musa acuminata, phenalenone phytoalexins from 753
Musaceae 753
Musci 1621
Mussaenda pubescens, monoterpenes from 1553
Myoporaceae 859
Myriophyllum spicatum, algicidal hydrolysable polyphenols from 133
Myrsinaceae 269
Myrtaceae 7, 77, 923

N
Naphthalene diglycoside, from *Aloe* 1547
Naphthoquinones, from *Dionaea* cultures 775
Narcissus pseudonarcissus, conversion of violaxanthin in chromoplasts from 729
Neocallitropsis pancheri, sesquiterpenoids from 243
Neolignan,
  from *Magnolia* 287
  from *Solanum fruits* 935
Nephrolepis brserrata, drimanes from 1119
Neurospora crassa,
  conidial alkaline phosphatase from 71
  polynucleotide synthesized by strain of 345
Nicotiana sylvestris, anionic peroxidase from 1029
N. tabacum,
  distribution of catalase isoforms in 699
  mechanism of nicotine *N*-demethylation in 477
Nicotine, *N*-demethylation of in tobacco cultures 477
Nierembergia hippomanica, ecdysteroid and pyrrolidine alkaloid from 1393
Nitrile glucosides, leucine-derived, in Rosaceae 779
Nitrogen recycling, in phenylpropanoid metabolism 31
Norisoprenoids, from *Viburnum* 1333

O
Olea europaea, role of chlorophyllase in chlorophyll metabolism in 691
Oleaceae 691, 1341, 1557
Onopordon myriacanthum, sesquiterpene lactones and elemanes from 1113
Orchidaceae 625, 635
Orixa japonica, quinoline alkaloid from 1231
Ornithopus sativus, brassinosteroid metabolism in 163
Orobanchaceae 403
Orobanche aegyptiaca, pectin methylesterase from 403
Oryza sativa,
  antifungal 5-alkylresorcinol from 1485
  calcium-dependent protein kinase from 1459
Oviposition-stimulant flavonol glycosides, from *Asclepias* 139
Oxalic acid, biosynthesis of, in *Lemna* 145

P
Paeonia suffruticosa, monoterpene glycosides from 237
Paeoniaceae 237
Panax notoginseng, dammarane saponins from 1419
Panicum miliaceum, α-glucosidase from 703
Pannosallene, from *Laurencia* 1101
Papaveraceae 661
Parthenium argentatum × *tomentosa*, antifungal eudesmanolides from 519
Passiflora edulis, glycosidic aroma precursors in 1497
Passifloraceae 1497
Pectin methylesterase, from *Orobanche* 403
Pedaliaceae 105
Pellia epiphylla, macrocyclic lignan from 611
Penicillium, cyclo-(L-tryptophyl-L-phenylalanyl) from 665
P. italicum, biotransformation of geraniol and nerol by 1079
P. paxilli, indole-diterpenoid from 327
Pentapeptides, from *Aster* 225
Peroxidase, anionic, from *tobacco* 1029
Peroxides, from *Heterothalamus* 297
Persea indica, alkene-γ-lactones and avocadofurans from 229
Petalostemon purpureus, isoflavones from 945, 1625
Petunia hybrida, sucrose esters from surface lipids of 787
Peucedanum japonicum, coumarins and chromones from 525
P. praeruptorum, coumarins from 1423
Phaeolepiota aurea, *N*-acetyl-D-galactosamine-specific lectins from 1013
Phaeophyceae, distribution of amino acid-containing phospholipid in 1535
Phaeophyta 749, 1315, 1367, 1535
Phaeophytins, from *Megaceros* 1373
Pharbitis nil, acylated peonidin glycosides from 1607
Phaseolus vulgaris, arginase from 373
Phenolic glycosides, from *Aster* 1593
Phenylalanine ammonia-lyase, from poplar, expression of in insect cell cultures 1259

Phenylbutanoids, insecticidal, from *Zingiber* rhizomes 129
9-Phenylphenalenone phytoalexins, from *Musa* rhizomes 753
Phenylpropanoid
ester, from *Lilium* 1225
metabolism, nitrogen recycling in 31
Phloracetophenones, from *Euphorbia* 1149
Phloroglucinols, cytotoxic, from *Baeckea* 923
Phosphatase, alkaline, from *Neurospora* conidia 71
Phosphatidate phosphatase, from *Brassica* seeds and cultures 353
Phospholipid, amino acid-containing, distribution of in brown algae 1535
Phthalides, from *Ligusticum* 233
Phyllanthus niruroides, norsecurinine-type alkaloid from 1441
Physostegia virginiana, iridoid distribution in populations of 489
Phytoalexins,
induction of, in oats, by toxin from *Helminthosporium* 1473
phenalenone, from *Musa* rhizomes 753
pterocarpan, detoxification of by fungal pathogens of alfalfa 759
Phytoanticipin, from carnations 447
Phytoecdysone, from *Athyrium* roots 745
Phytyl esters, from *Megaceros* 1373
Pinaceae 77, 439, 605, 995, 1465
Pinus radiata, substrate specificity of fatty acyl-CoA synthetase from 1465
P. sylvestris,
enantiomeric compositions of monoterpene hydrocarbons in 439
inhibition of chitinolytic activities in 77
Piper cubeb, oxygenated cyclohexanes from 1097
Piperaceae 1097
Plagiochila elegans, secoaromadendrane from 1439
Plagiomnium undulatum, biflavonoids from 1621
Plant growth regulator, from *Penicillium* 665
Platelet activating factor, from strawberry 89
Plectranthus ambiguus, phyllocladanes from 1563
P. elegans, antimicrobial abietane diterpenoids from 735
P. hereroensis, rearranged abietane diterpenoid from 571
Pleione bulbocodioides, dihydrophenanthropyran from 625
Podocarpaceae 801, 995
Polianthes tuberosa, extracellular polysaccharides from 1517
Polyacetylene glucosides, from *Lobelia* hairy root cultures 183
Polyethylene-glycol, effect of on abscisic acid levels in chickpea 681
Polygonaceae 29
Polynucleotide, synthesized by *Neurospora* strain 345
Polyphenols, hydrolysable, algicidal, from *Myriophyllum* 133
Polysaccharides,
extracellular, from *Polianthes* callus cultures 1517
in *Chamaecyparis* primary cell walls 461
of kiwi fruit cell walls, synthesis of 407
pectic, from *Lemna* and *Apium* cell walls, solubilization of 719
Pontederiaceae 301
Populus × *canadensis* α-amylase from 365
P. trichocarpa × *deltoides*, phenylalanine ammonia-lyase from, expression of in insect cell cultures 1259
Pregnanes, polyoxy-, from *Marsdenia* 1385
Primula obconica, primin and miconidin biosynthesis in 451
Primulaceae 451
Proanthocyanidin dimers, from *Cassia* 1209
Proanthocyanidins,
from *Lotus* 617
from *Stryphnodendron* 807
Progesterone, biotransformation of by *Chlorella* 1527
Proteases,
ATP-dependent, Ti-like, from spinach chloroplasts 65
extracellular, from *Trametes* 385
Protein kinase,
calcium-dependent, from rice leaves 1459
cAMP-dependent selective inhibition of by amphiphilic triterpenoids 55
Protein phosphorylation, in *Lemna* chloroplasts, inhibition of by cAMP 49
Pteridophyta 37, 337, 745, 1119
Pteris cretica, luteolin 7-*O*-sophoroside from 337
Ptilostemon gnaphaloides, triterpene epoxide and guaianolide from 1377
α-Pyrones,
5,6-dihydro-, from *Syncolostemon* 1085
from *Cryptocarya* 333
Pyrroline glucoside ester, from *Lilium* 1225

R

Ranunculaceae 957, 1235, 1599
Rauwolfia sellowii, indole alkaloids from 969
Rhodophyta 151, 1101
Rosaceae 89, 779
leucine-derived nitrile glucosides in 779
Rubber biosynthesis, initiation of in *Hevea* 1501
Rubiaceae 169, 433, 1553
Rutaceae 647, 1231, 1433

S

Salicaceae 365, 1259
Salvia, sesterterpenoid from 589
S. limbata, rearranged abietane diterpenes from 1143
Santalaceae 829
Santalum insulare, santalane sesquiterpenes from 829
Saponins,
furostanol, from *Allium* bulbs 283
steroidal,
accumulation of in *Trigonella* pods 415
from *Asparagus* 599
from *Chlorophytum* 1405
from *Lilium* 1225
synthetic, structure-activity relationships of 121
triterpenoid,
dammarane, from *Panax* 1419
from *Aralia* roots 1411
from *Bellium* 1399
from *Bupleurum* roots 895, 1579
from *Fagonia* 1175
from *Gymnema* 1181
from *Maesa* 269
from *Mimusops* 883, 887
Sapotaceae 883, 887
Scoparia dulcis, diterpenoid production by cultured tissues of 193
Scrophularia koelzii, triterpene glycoside from 879
S. ningpoensis, iridoid from 489
Scrophulariaceae 193, 489, 1035
Scutellaria altissima, clerodane diterpene from 855
S. galericulata, *neo*-clerodane diterpenoids from 247
Secoiridoid glucosides,
dimeric, from *Jasminum* 1341
from *Fraxinus* 1557
Secoiridoids, from *Gentiana* 111
Sedum,
alkaloids from 1319
flavonoid variation in 503
Sempervivum, flavonoid variation in 503
Senna multiglandulosa, bianthraquinones from 919
Sesamum indicum, effect of calcium chloride on heavy metal stress in 105
Sesquilignans, from *Abies* wood 605
Sesquiterpene cyclase, from bacteria-inoculated cotton foliar tissue 1047
Sesquiterpene ester, from *Celastrus* 549

Sesquiterpene glycosides,
from *Alangium* leaves 1351
from *Xanthium* 1357
Sesquiterpene lactones,
from *Bejaranoa* 1543
from *Centaurea* 335
from *Inula* 1539
from *Mikania* 845
from *Onopordon* 1113
germacranolide, from *Artemisia* 1105
guaianolides,
from *Centaurea*, circular dichroism of 1107
from *Ptilostemon* 1377
rotundane, from *Artemisia* 553
Sesquiterpenoids,
biologically active, from *Botrytis* 513
drimane, from *Nephrolepis* epicuticular wax 1119
elemane, from *Onopordon* 1113
eudesmane,
antifungal from *Parthenium*, 519
from *Lepidozia* 833
from *Juniperus* heartwood 1361
from *Neocallitropsis* 243
guaiane, from *Valeriana* 977
santalane, from *Santalum* 829
secoaromadendrane, from *Plagiochila* 1439
tricyclic, from *Artemisia* 837
Sesterterpenoid, from *Salvia* 589
Shikonin biosynthesis, in *Lithospermum* cultures, inhibition and regulation of 1065
Sicyos australis, trypsin inhibitors from 1265
Sideritis, essential oil composition of 203
Silicas, biogenic, intramineral macromolecules containing protein from 37
Simaroubaceae 395
Sinapaldehyde glucoside, dimeric, from *Ilex* 657
Sodium butyrate, cell cycle inhibition by, in legume root meristems 85
Solanaceae 31, 93, 155, 197, 477, 699, 767, 787, 879, 935, 981, 1029, 1393, 1629, 1633
Solanum, steroid alkaloids from 1629
S. coccineum, steroid alkaloid glycosides from 1633
S. sisymbrifolium, neolignan and sterols from 935
S. tuberosum, relation of sterols to glycoalkaloid synthesis in 155
Sorghum vulgare, multiple forms of starch phosphorylase from 713
(−)-*ent*-Spathulenol, from liverworts, found to be an artefact 1347
Spinacia oleracea, ATP-dependent Ti-like protease from 65
Starch phosphorylases, from *Sorghum* leaves 713
Sterculiaceae 1073, 1197
Steroidal glycosides, from *Tribulus* roots 907
Steroids,
antimicrobial, from *Fomitopsis* 1041
from *Antrodia* 1389
Sterol
analysis, of *Venturia* strains 1301
biosynthesis, in *Ajuga* hairy roots 1057
composition, in fenugreek, effect of tridemorph and fenpropimorph on 423
composition and synthesis, in potato, relation of to glycoalkaloid synthesis 155
glycoside, from *Clerodendron* leaves 279
Sterols,
accumulation of, in *Trigonella* pods 415
from *Anabaena* 1083
from *Koelpinia* 595
from *Solanum* fruits 935
Stigmasterol glycoside, from *Ambroma* 1197
Strictosidine glucosidase, from *Tabernaemontana* suspension cultures 1451
Striga hermonthica, methyl esters of fusaric acids phytotoxic to 1035
Structure-activity relationships,
of lepidimoide and analogues 671
of synthetic cardiac glycosides 125
of synthetic saponins 121
Stryphnodendron adstringens, flavan-3-ols and prodelphinidins from 807
Sucrose esters, from *Petunia*, surface lipids 787
Syncolostemon parviflorus 5,6-dihydro-α-pyrones from 1085

T

Tabernaemontana divaricata, strictosidine glucosidase from 1451
Tannin-protein co-precipitation, stoichiometric studies of 1427
Taxaceae 803, 863
Taxanes,
bioactive, from *Taxus*, semi-synthesis of 803
from *Taxus bark* 863
Taxodiaceae 255, 995
Taxus brevifolia, taxanes from 863
T. canadensis, bioactive taxane from 803
Terpenoids,
biologically active, from *Egletes* 217
from *Acalypha* 851
from *Heteroscyphus* 575
from liverworts 207
from *Viguiera* 499
Tetrahydroberberine, 13-hydroxylation of, in *Corydalis* cultures 1511
Tetrahydroisoquinoline-monoterpene glucosides, acylated, from *Alangium* 651
Theaceae 1073
Thymeliaceae 1477
Tithonia diversifolia, artemisinic acid analogue from 557
Trametes trogii, extracellular proteases from 385
Tribulus cistoides, steroidal glycosides from 907
Tridemorph, effect of on sterol composition in fenugreek 423
Trigonella foenum-graecum,
accumulation of sterols and steroidal saponins in 415
effect of tridemorph and fenpropimorph on sterol composition in 423
seco-Triterpene-dienoic acid, from *Euphorbia* 1163
Triterpenoid
epoxide, from *Ptilostemon* 1377
esters, from *Erythroxylum* 941
glycosides,
from *Aster* 1593
from *Ilex* leaves 871
from *Scrophularia* 879
sweet-tasing, from *Abrus* leaves 1381
Triterpenoids,
amphiphilic, selective inhibition of cAMP-dependent protein kinase by 55
cytotoxic, from *Aglaia* 1325
D:A-friedo-oleanane, from *Homalium* stems 867
from *Anabaena* 1083
from *Antrodia* 263, 1389
from *Ilex* leaves 87
from *Melilotus* 1573
long-chain alkanoic acid, from *Koelpinia* 1437
oleanane, from *Ambroma* 1197
pentacyclic, from *Combretum* 591
Triticitum aestivum, role of hydroxycinnamic acid *O*-methyltransferases in 1507
Trypsin inhihitors,
from *Sicyos* 1265
Kunitz-type, from *Enterolobium* seeds 1017
Tyrosine residues, enhancing cross-linking of proteins into lignin-like polymers 43

U
Umbelliferae 187, 233, 525, 719, 895, 1023, 1337, 1423, 1579
Umuravumbolide, structural isomer of, from *Cryptocarya* 333

V
Valeriana officinalis, guaiane sesquiterpene from 977
Valerianaceae 977
Venturia inaequalis, sterols in fungicide-resistant amd -sensitive strains of 1301
Verbenaceae 279
Viburnum dilatatum, norisoprenoids from 1333
Victorin, from *Helminthosporium*, inducing stress compounds in oats 1473
Vigna sinensis, acid phosphatase I from 1457
Viguiera tucumanensis, terpenoids from 499
Volatiles, from *Morinda fruits*, effects of on *Drosophila* 433

W
Withanolides, from *Datura* 981

X
Xanthium spinosum, sesqui- and diterpene glycosides from 1357
Xanthones, cytotoxic, from *Garcinia* 629, 815
Xanthosoma robustum, antibacterial hydroperoxysterols from 1191
Xylocarpus granatum, limonoid from 903
Xyloglucan, *O*-acetylated, in extracellular polysaccharides from *Mentha* 1309

Z
Zea mays, aspartate kinase in mutants of 707
Zingiber cassumunar, insecticidal phenylbutanoids from 129
Zingiberaceae 129, 725
Zygophyllaceae 907, 1175

PHYTOCHEMISTRY

AIMS AND SCOPE

Phytochemistry is the international journal of plant biochemistry and molecular biology, published 18 times per annum by Elsevier Science. It is the official organ of 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America'. It is intended to cover research on all aspects of pure and applied plant biochemistry, especially that which leads to a deeper understanding of the factors underlying the growth, development and metabolism of plants and the chemistry of plant constituents. The journal is currently divided into eight sections, as indicated below, but papers which cut across these sections or which are on any other aspect of plant biochemistry will also be considered.

Review articles are published at regular intervals and they cover almost every aspect of the subject from primary metabolism and regulation of plant growth through plant enzymology to natural product chemistry. They deal with significant new areas of research and are intended to command the interest of the general reader. Authors should consult the editors before preparing such articles, by submitting an outline of their proposed review.

The *Growth and Metabolism* section contains papers on: plant molecular biology, nucleic acids, proteins, recognition molecules; photosynthesis, carbohydrate, lipid and nitrogen metabolism; plant membranes, cell walls, growth hormones and their structure–activity relationships; all aspects of plant enzymology, including the description of new enzymes; and the general biochemistry of plant growth from seed germination, leaf development, flowering and fruiting to seed ripening.

The *Ecological Biochemistry* section contains papers on: biochemical adaptations in plants to environmental stress; pollination biochemistry; plant toxins and their effects on animals, phytoecdysones, antifeedants; herbivory, plant defence and insect feeding preferences; utilization of plant substances by animals; and all aspects of biochemical plant pathology, including the production of phytotoxins and phytoalexin elicitation.

The *Biosynthesis* section principally contains papers on the biosynthesis of secondary plant constituents in both microbial systems and in higher plants. It may also include papers on the genetic control of biosynthesis, on biosynthetic inter-relationships and on the methodology of biosynthesis.

The *Cell Culture and Biotechnology* section is devoted to biochemical aspects of plant cell and tissue culture, and especially to the accumulation, production, biosynthesis, turnover and enzymology of secondary constituents. Papers on plant biotechnology are also welcomed, e.g. those concerned with biomass production, the utilization of plant products as alternative fuel sources, etc.

The *Chemotaxonomy* section contains papers on the comparative biochemistry of plants. These may range from distributional studies on low molecular weight compounds in a group of fungi, algae or higher plants to the amino acid sequencing of seed lectins. Papers on infraspecific chemical variation are also included here.

The *Bioactive Plant Products* section contains papers on novel plant chemistry, where the biological activities of one or more of the new plant compounds are described. Bioassay data should include comparable results for a known agent, so that the reader can judge the relative importance of any new finding. Full experimental details of the biological tests should be provided.

The *Plant Chemistry* section is arranged in an ordered sequence and contains papers on: growth substances, macromolecules, primary metabolites, terpenoids, polyketides, phenylpropanoids, flavonoids, alkaloids and compounds of mixed biosynthetic origin. Authors investigating the chemistry of a given plant species should aim to publish their results in a single manuscript rather than in a series of papers, describing each new compound as it is found. The structural analysis of new plant substances is now so routine that papers reporting a single novel compound of expectable structure (e.g. a new triterpene fatty acid ester) are rarely acceptable, unless other novel information on the plant is included.

The *Short Reports* section contains concise papers representing significant contributions to scientific knowledge which can be adequately included in up to two printed pages (i.e. 6–8 pages of mss.). They need to be as fully documented and as accurate as full papers and are presented in the same style. Reports of known compounds, however rare, from new plant sources will not generally be accepted *unless* they have real chemotaxonomic or other chemical and biological significance.

Special Publications are published at regular intervals. Papers appearing under this heading will have received accelerated publication due to their particular significance in the field of plant biochemistry.

Book Reviews are published regularly and the editor-in-chief welcomes the submission to the Reading office of new books for review. Symposia and Society announcements will be published, at the discretion of the editors. Preliminary communications and letters to the editor will not, however, be considered.

Authors should consult the latest Instructions list (see *Phytochemistry* Vol. 41, No. 1, pp. 1–6, 1996) before preparing their manuscripts. All contributions must be in English and should be submitted to either the *Editor-in-Chief*, Prof. J. B. Harborne, Plant Science Laboratories, The University, Reading, RG6 2AS, U.K., telephone (U.K.) +44 (01)734 318160, fax (U.K.) +44 (01)734 753676, or to the *Associate Editor* (*North America*), Prof. N. G. Lewis, Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A., telephone (U.S.A.) +1 509 335 3412, fax (U.S.A.) +1 509 335 7643.

Did you know that if you are a contributor to any Elsevier Science Book or Journal you are entitled to

30%

Discount on all

our Books*?

Elsevier | Pergamon | North Holland | Excerpta Medica

*(except multi-volume reference works)

Contact your nearest Elsevier Science office in order to obtain a subject catalogue

Elsevier Science Ltd, The Boulevard, Langford Lane,
Kidlington, Oxford, OX5 1GB, UK
Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA

CO555/p7

You Benefit With Disk Submission

Elsevier Science encourages the submission of articles on disk. We want Authors to provide us with their final manuscripts directly from their computer or word processing systems, without the need to follow complicated instructions. If you submit electronic manuscripts, you will notice the benefits:

- **A speedier publication process**
- **A clearer set of proofs, with fewer errors**

  Providing electronic manuscripts will improve the delivery of proofs - delivery will be faster and more reliable. Also, without needing to rekey the text the possibility of introducing errors will be avoided
- **Inclusion in an electronic archive**

  Elsevier Science is committed to developing and maintaining electronic archives for all of its journals. This will provide the flexibility to take advantage of electronic media to disseminate the information published in our journals, including your article.

There are some basic points to be kept in mind and we do have certain preferences. However, with Elsevier's expertise and facilities it does not really matter on which computer or wordprocessing system your manuscript has been prepared.



Basic Points to Help Us

Delivery of Electronic Files
Disks must be clearly marked with the following information:

- **Operating system**
- **Disk format (e.g.DS/DD)**
- **Word Processor used, including version number (users of see later)**
- **Authors' names**
- **Short title of article**

Three printed copies of the final version of the manuscript should be submitted with the disk to the Journal Editor.
In the event of differences between disk and hardcopy, the hardcopy will be considered as the definitive version.

Preparing Electronic Text Files

Please follow the general instructions on style and arrangement and, inparticular, the reference style as given in Notes for Authors for the book or journal concerned. If you are contributing to a multi-author work, please consult the publisher or earlier volume for style conventions with respect to headings, reference citation, etc.

LaTeX/TeX

Authors wishing to submit their article as a LaTeX/TeX file should note the following:
Authors should ideally use the "Article" style or the Elsevier LaTeX package which is available via anonymous FTP from CTAN centres.
(Further details on TeX can be obtained from Martin Key or Sebastian Rahtz)

Host names:	**CTAN directory:**
ftp.dante.de	/tex-archive/macros/latex/contrib/supported/elsevier
ftp.tex.ac.uk	/tex-archive/macros/latex/contrib/supported/elsevier
ftp.shsu.edu	/tex-archive/macros/latex/contrib/supported/elsevier

Authors should not add their own macros

Preparing Electronic Graphic Files

Illustrations should be produced in the Macintosh environment if possible using the following software packages:

Adobe Illustrator, Aldus Freehand, Cricket Graph, Macdraw, Chemdraw, Corel Draw for PC

However we will accept any of the popular drawing programs for the Macintosh and PC.
Artwork should be drawn for finished size using a Times or Helvetica typeface at a final size of 8pt type with appropriate lineweights.
Please indicate format, operating system, program and version number of the software used. If possible also print a directory of filenames.
Scanned artwork should be saved to Tiff format for both line and halftone and scanned at a suggested setting of 400 dpi for half-tones and 1000 dpi for linework. If it is necessary to compress the scans please indicate the software used. It is essential that a hard copy print of the scans be included. Illustrations should be logically named and saved as individual files to 3.5" disk or a SyQuest cartridge 44Mbyte or 88Mbyte. If 3.5" disks are not available to you, 5.25" disks are acceptable. Please send a laser print of the artwork with the electronic file.
When submitting electronic colour images please indicate the file format and program used (including compression software). Include a 4 colour machine or cromalin proof and check that all the separations (if provided) are colour identified.

If you require any further information please contact the following:

Elsevier Science Ltd
The Boulevard
Langford Lane
Kidlington
Oxford
OX5 1GB
UK

Martin Key/Sebastian Rahtz (Text)
Tel: 44 1865 843550
Fax: 44 1865 843905
Email: m.key@elsevier.co.uk
s.rahtz@elsevier.co.uk

Phil Halsey (Graphics)
Tel: 44 1865 843305
Fax: 44 1865 843921
Email:p.halsey@elsevier.co.uk.

Elsevier Science Inc
655 Avenue of the Americas
New York
NY 10010-5107
USA

Tom Lewis Flood
(Text/Graphics)
Tel: 212 633-3855
Fax: 212 633-3658
Email:t.lewisflood@elsevier.com

ELSEVIER SCIENCE

CO611

• BACK ISSUES OF •
THIS
JOURNAL

Back issues of this and all other Elsevier Science journals are available in hard copy. New subscribers to a journal may purchase back issues of that publication in hard copy edition at 25% discount off the standard price. Elsevier Science maintains stocks of back issues and orders may be placed with confidence at your nearest Elsevier Science office. Should any issue of a volume be temporarily out of stock at the time of ordering, a high quality photoduplicated copy will be supplied at no extra charge to complete your order.

SAVE UP TO 25% BY PURCHASING COMPLETE SETS
Customers wishing to purchase complete sets can do so at a saving of 25% off the individual volume price.

MICROFORM EDITIONS
Back issues in microform of Elsevier Science research journals are also available. For further information please apply to your nearest Elsevier Science office.

BACK ISSUES PRICE LIST
Full details of the rates of back issues of all Elsevier Science journals can be found in our Back Issues Price List. Please contact your nearest Elsevier Science office for a copy.

Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK
Telephone: +44 01865 843699 • Fax: +44 01865 843911 • E-Mail: freesamples@elsevier.co.uk
Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA
Telephone: +1 914 524 9200 • Fax: +1 914 333 2444

CO555/p2

Printed in England by BPC Wheatons Ltd, Exeter